

Snylloractus

brutes large, brow 2 inches, with rounded orenations, with attent newes, except where a brunch or a flower is developed.

Flower large, rose and teles short, numery lax sepels

seques or orang bear; bristles in the axilly unripe fix evel, apparently vibbel.

unripe (ene full signe !t) seed

MISSOURI BOTANICAL GARDEN MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

Kus Sept 1x69 Rhyllomatur Arkenna ' (Haw sellet) Trep rose or progle flawer, 12 n 13 " Daniet; lube short_ 7 me rolend stranta Constit of lower not more the 10 mg vide below Du Alegesta. 1331 Th. 1 Colhan. +. 64 very fair, but makes the own soils. fuil sp me ovette, and (apparelly 8 augles) Mr. Myllanthus Ph. anguliger Bos May. 5100 km a long Tebelen Starte flower 180 leg 12 a wide _ ovary with pulin 12 m 14 triangle sope subvicate _ tale with as many; petals long arminate, 11 stizments for western Mexiso. O. Sakurmini ON May . 3598. ft. 17 loride

Jourse Jones _ Jones St. oxypitaly 2 notylnid - seed for Mexito - pitel, anti- Brukes 2-2/2 will The 2" by ony & The will face membrances suly - petels 4 les Anther & poller roserolon, 7 stynet

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI

copyright reserved

BOTANICAL GARDEN



MISSOURI BOTANICAN PAPERS

GEORGE ENGLINAMN PAPERS



Host Schnefen Mienter Jame 1857 Myllorartes phyllauthorits. tubo plonis gracili. 1/2 pollerani, fiquamis sepulo, dei, potius) repetie inferioribus tubi squeeniformit antensentis adar ellas danigunis sepalei superales puleloules late oblagis petales oblogs ovate; sode is Appeningen teler parte mudo medro slavrifer, et facere d'Catato coron stans nean - sicaplise gerale Tyle rugen slam'an longe a-covary a-b oviferons vanity 6-r solis part. c-d makend fact of tibe rough interded with thisker well d-e staminifum, part d'étates e-f still ture fumelshaped d'ated neker part Juppen corona of stamma MISSOURI

copyright reserved

BOTANICAL

GARDEN

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved GARDEN

Shyllo sacture phylla inthorides

Andricux, Mexico 1834, us number


He Mun Paris, of the Manifest with numerors recurred or spreading sepels which is their axis bear wool and a few spinules—


severed triangular sporading sepel, on overy with similar wool & spinules

or overy with similar wool & spinule,

or over


0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved






"The place thus latifrons" HD Moner Any 12 Hby wrong & named, perhaps an hybrid of C. speriosissimas fruit oval, 16-20 arcolar = 8 Distinct deries? herralated) so that the frist would appear angled if the tuberrale, were more united arcolar spinding.


2015



MISSOURI BOTANICAL GARDENS MISSOURI BOTANICAL GARDENS GEORGE ENGELMANN PAPERS








MISSOURI BOTANICAL GARDEN.

GEORGE ENGELMANN PAPERS



In varigan Jufar ig/ so min und mont fulligen Parfuefan galmingen, sunf ba. fraffun der Elasfan non lait, alasus mis Tam follow no en lærties sperioses anno frædt ja betamen, die unffulland war montant ind ifme forme gagam tri fuithe non lai hus alastus if 2. 2217 Eni sta Infrantstoone menting just must fofort was tom Gaffman der blassfe die Buffere en norsferret, med mon der fallen som Cartus (alætus) mufgetangun, mobre The Effering a fally 2 mm sman mint from a to Orta Dund, tumis mift nine beforefling hanf medden blestfrom Alast from tombe. Jongton farth of must fourth now Earters alasma & succensus. die frieft non Eart speriofus if kugluf. 13/4" Dont, 21/8 "lang & grand ha nan lær hus alatus, lung lief /2" hit 13/4 Emmy & grows mostl Bi Tung Enfongthing min blieffe som lact actasms mis Tom Jellan non laces spescofus smynymu ynd nind fruist sin knyrling, 116" The 12/8 "lung & zurgninnets ift, justers ift Jan furba unt for motor mos for min bus den eft non lat. alaters.

Guston Bergen MISSOURI BOTANICAL copyright reserved GARDEN

Shyllmarter, or Zpoli Wille Floridance 8-0-30.126R Imageles formed fruit 2218
red with yellowish base, soft, pulyy slighty stangline, with about 15 me suice, briangula. polp paler some red, receds few (only 17)
apparently few fects Gyn, and fruit therefore
imperfectly formed



